

L Number	Hits	Search Text	DB	Time stamp
-	72461	(gui or ui or (user near2 interfac\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:53
-	154	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:47
-	0	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$5) and (frame\$1 near3 engin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:46
-	2047	output near5 config\$5 near5 data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:47
-	243	((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	0	(frame\$1 near3 engin\$2) and (((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:48
-	2	(output near5 config\$5 near5 data) and (((gui or ui or (user near2 interfac\$2))) near5 input near5 config\$7)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:51
-	4	(frame\$1 near3 engin\$2) and ((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:52
-	3	((output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))) and inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 12:58
-	309	(output near5 config\$5 near5 data) and ((gui or ui or (user near2 interfac\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:19
-	7874	config\$7 near5 (product\$1or service\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:20
-	20689	config\$7 near5 (product\$1 or service\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:21
-	503	config\$7 near5 (product\$1 or service\$2) near5 order\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:27
-	3	(config\$7 near5 (product\$1 or service\$2) near5 order\$4 ) same internet same (on-line or online)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:23

-	1	(config\$7 near5 (product\$1 or service\$2) near5 order\$4 ) same (e-commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
-	7	(config\$7 near5 (product\$1 or service\$2) near5 order\$4 ) same (commerce)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 13:24
-	72	config\$7 near5 (product\$1 or service\$2) near5 order\$4 near10 custom\$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:14
-	1532	custom\$7 near5 product\$1 near5 order\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	11	(custom\$7 near5 product\$1 near5 order\$4 ) same (e-commerce\$1 or ecommerce\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	15097	custom\$7 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:18
-	108	(custom\$7 near5 product\$1 ) same (e-commerce\$1 or ecommerce\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/09/23 14:19
-	2	5745765.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05
-	2	5877966.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:05
-	8810	frame\$1 near3 engin\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:32
-	9	(frame\$1 near3 engin\$2) and (config\$5 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:33
-	13	(frame\$1 near3 engin\$2) and (config\$7 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:36
-	6	cad near5 custom\$4 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:43
-	12	cad near10 custom\$4 near5 product\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/15 16:44

-	72521	(ui or (user near2 interfac\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	179	((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:23
-	102	((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:24
-	25	((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)) and (output near5 config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	25	((ui or (user near2 interfac\$2))) and (project\$5 near5 config\$6)) and (fram\$3 or inferenc\$5)) and (output\$5 near5 config\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/10/22 13:25
-	0	6351734.pn. and (configur\$4 near5 product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	6351734.pn. and (configur\$4 same product\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 11:24
-	1	"CAD" same (product\$3 near5 hierarch\$4) same fram\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35
-	6	"CAD" same (product\$3 near5 design) same fram\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	661	"CAD" same (product\$3 near5 design)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:00
-	20	("CAD" same (product\$3 near5 design) ) and (question\$3 same answer\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 15:02
-	110	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:14
-	0	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and ((frame\$1 near3 engin\$2) near5 output near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16
-	0	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and ((frame\$1 near3 engin\$2) near5 output\$3 near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:16

-	0	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 near5 output\$3 near5 configurat\$4) same inference\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:17
-	0	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:18
-	33	((UI or (user near2 interface)) near5 receiv\$4 near5 configurat\$4)) and (frame\$1 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:25
-	17579	product\$3 near5 configurat\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:27
-	0	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1) same inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	0	((product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1) ) and inferenc\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:28
-	17	(product\$3 near5 configurat\$4) and (fram\$3 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:31
-	9519	fram\$3 near3 engine\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:32
-	0	(fram\$3 near3 engine\$1 ) same (output\$4 near5 configurat\$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	5	(fram\$3 near3 engine\$1 ) and (output\$4 near5 configurat\$4 near5 data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:34
-	24636	CAD	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:35
-	91	( CAD ) and (configurat\$4 near5 fram\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	(( CAD ) and (configurat\$4 near5 fram\$2)) and (inferenc\$3 near5 ouput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:37
-	0	(( CAD ) and (configurat\$4 near5 fram\$2)) and (inferenc\$3 same ouput\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:38

-	2	(( CAD ) and (configurat\$4 near5 fram\$2)) and (inferenc\$3 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:52
-	13710	5293478.pn. (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	0	5293479.pn. and (frame\$1 near5 engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:53
-	1	5293479.pn. and (frame\$1 same engine\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:20
-	0	5293479.pn. and (user\$1 near5 input\$4 near5 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56
-	0	5293479.pn. and (user\$1 near7 input\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:56
-	0	5293479.pn. and ( input\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and ( output\$4 near7 configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:57
-	0	5293479.pn. and ( input\$4 same configurat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 10:58
-	1	5293479.pn. and ( input\$4 same output\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:05
-	1	5293479.pn. and (select\$4 near5 project\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:07
-	1	5293479.pn. and (user near3 interface)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	0	5293479.pn. and (user near3 interface near5 configurat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 11:11
-	1	5293479.pn. and (user near3 interface near10 configurat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:28

-	5142	product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:31
-	1102	product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
-	6168	(product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:32
-	0	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1 near3 engine\$1) near5 (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:36
-	0	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1) near5 (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35
-	1	((product\$3 near4 design\$3 near4 (tool\$1 system\$1 method\$1)) or (product\$3 near4 configurat\$3 near4 (tool\$1 system\$1 method\$1))) and ((frame\$1) same (output\$3 display\$4)) same inference\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 13:35
-	0	5293479.pn. and (frame\$1 same assembling\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:21
-	1	5293479.pn. and (frame\$1 same assembl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:23
-	1	5293479.pn. and (frame\$1 near10 assembl\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:24
-	1	5293479.pn. and (frame\$1 same engin\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:42
-	0	5293479.pn. and (access\$4 near7 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
-	0	5293479.pn. and (access\$4 near10 interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:43
-	0	5293479.pn. and (access\$4 same interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:44
-	1	5293479.pn. and (access\$4 and interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:56

-	1	5293479.pn. and (project\$4 near10 select\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 14:57
-	0	5784286.pn. and (product\$1 near10 knowledg\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 16:56
-	1	5784286.pn. and (hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:00
-	24711	product\$1 near3 design\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:01
-	66451	(product\$1 configur\$6) near3 design\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:02
-	33	((product\$1 configur\$6) near3 design\$3) and (product\$1 near5 (information knowledg\$3) near5 hierarch\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/08 17:05